PRESTAR MARKETING SDN BHD

198101010711 (76838-X)



HEIGHT ACCESS RANGE

HOMEPAGE

FIND US

KL , PG , JB

MHE
ITEM

STOCKY™

HEIGHT ACCESS

OREX ALUMINUM STEP STOOL



CODE	LOAD CAPACITY	DESCRIPTION	OVERALL DIMENSION (W x H)	TOP	BASE	NET WEIGHT
S02-SSS-150-BLUE	100KG	ROUND SHAPE PVC KICK STEP STOOL	283 x 410 mm	283 mm	433 mm	2.15KG
S02-SSS-150-RED	100KG	ROUND SHAPE PVC KICK STEP STOOL	283 x 410 mm	283 mm	433 mm	2.15KG
S02-SSS-150-BLACK	100KG	ROUND SHAPE PVC KICK STEP STOOL	283 x 410 mm	283 mm	433 mm	2.15KG
S02-SSS-150-GREY	100KG	ROUND SHAPE PVC KICK STEP STOOL	283 x 410 mm	283 mm	433 mm	2.15KG

PRESTAR MARKETING SDN BHD has Solid partnerships with a variety of industries, including construction, industrial supplies, DIY concept stores, logistics, and warehousing.
We are one of the largest distributors for: Storage, Racking and Logistics products | Warehouse equipments, parts and service and repairs | Material handling equipments | Hardware

PRESTAR MARKETING SDN BHD
Lot 3811, Jalan 4D, Kampung Baru Subang, 40150 Shah Alam, Selangor, Malaysia.
Hotline: +6012-328 3811 | Email: inquiry@prestar.marketing

Orex Aluminium Step Stool Black Colour

General household & project application suitable for aircon, renovation and construction industry etc

Do not assume that a longer ladder has a high duty rating. There is no relationship between length and duty rating


CAUTION

The CE requires that a duty rating sticker be placed on the side of every ladder so users can determine if they have the correct type ladder for each task/job.









PRESTAR MARKETING SDN BHD

STOCK CODE	STEPS	STEP SIZE	USING HEIGHT	N.W/G.W	LOADING CAPACITY	PRICE
001-AY-H003B	3	18*30	67 CM	3.5 KGS	3.5 KGS	RM 308.00
001-AY-H004B	4	18*30	92 CM	4.4 KGS	4.4 KGS	RM 365.00

Orex Household Ladder Iron Ladder

General household & project application suitable for aircon, renovation and construction industry etc

Do not assume that a longer ladder has a high duty rating. There is no relationship between length and duty rating


CAUTION

The CE requires that a duty rating sticker be placed on the side of every ladder so users can determine if they have the correct type ladder for each task/job.



With convinient handgrip, making the step stool easy to climb and carry

Available Hifh Handrail Stool
Material: Iron, Thickness: 1.0mm







PRESTAR MARKETING SDN BHD

STOCK CODE	STEP SIZE	STEPS	USING HEIGHT	LOADING CAPACITY	N.W/G.W	PRICE
001-AY-T003D	38*26	3	72 CM	150 KGS	8.3 KGS	RM 241.00
001-AY-T004D	38*26	4	97 CM	150 KGS	9.0 KGS	RM 286.00
001-AY-T005D	38*26	5	122 CM	150 KGS	10.6 KGS	RM 331.00

MHE
ITEM

HEIGHT ACCESS

OREX HEAVY DUTY FOLDABLE LADDER



Grip Handle
Designed to reduce strain and enhance productivity.



Anti-Slip Mat
This feature reduces strain and injuries. The mat provides stronger foot grip when climbing up or down the stairs.



Easy Storage
Foldable and slim in width hence, can easily be stored and carried around.



Rubber Shoes
This feature prevents the ladder from gliding away during usage.



O01-03-SL261-04



O01-03-SL261-03



O01-03-SL261-02

CODE	LOAD CAPACITY	STEP DIMENSION (W x H)	OPEN DIMENSION (W x L x H)	NO.OF STEPS
O01-03-SL261-02	150KG	380 x 260 mm	590 x470 x 820 mm	2
O01-03-SL361-03	150KG	380 x 260 mm	670 x 480 x 1170 mm	3
O01-03-SL461-04	150KG	380 x 260 mm	855 x 495 x 1405 mm	4

VERSION DATE: 8/7/25

PRESTAR MARKETING SDN BHD has Solid partnerships with a variety of industries, including construction, industrial supplies, DIY concept stores, logistics, and warehousing.
We are one of the largest distributors for: Storage, Racking and Logistics products | Warehouse equipments, parts and service and repairs | Material handling equipments | Hardware

PRESTAR MARKETING SDN BHD
Lot 3811, Jalan 4D, Kampung Baru Subang, 40150 Shah Alam, Selangor, Malaysia.
Hotline: +6012-328 3811 | Email: inquiry@prestar.marketing

MHE
ITEM

HEIGHT ACCESS

OREX ALUMINUM 2 IN 1 LADDER 3 STEP WITH WHEEL



Grip Handle
Designed to reduce strain and enhance productivity.



Foldable Toe Plate
The foldable toe plate enables the user for multipurpose usage.



Anti-Slip Mat
This feature reduces the chances of slipping and falling when using the ladder.



Easy Storage
Takes up less storage space and easier to be moved around.



Retractable Castors
This feature is useful when the ladder trolley is used as a ladder.



MODE	LOAD CAPACITY	DIMENSION (W x L x H)
FOLD	-	470 x 1250 x 65 mm
LADDER	150KG	460 x 1160 x 730 mm
TROLLEY	160KG	460 x 1240 x 490 mm

CODE	NET WEIGHT	NO.OF STEPS
O01-03-SLT061-03	9.5KG	3

WWW.PRESTARMARKETING.COM.MY

VERSION DATE: 8/7/25

PRESTAR MARKETING SDN BHD
Lot 3811, Jalan 4D, Kampung Baru Subang, 40150 Shah Alam, Selangor, Malaysia.
Hotline: +6012-328 3811 | Email: inquiry@prestar.marketing

Orex Aluminium Alloy Portable Folding Working Platform

General household & project application suitable for aircon, renovation and construction industry etc

Do not assume that a longer ladder has a high duty rating. There is no relationship between length and duty rating

CAUTION

The CE requires that a duty rating sticker be placed on the side of every ladder so users can determine if they have the correct type ladder for each task/job.



Material: Aluminium, Thickness: 1.3mm

PRESTAR MARKETING SDN BHD

STOCK CODE	LENGTH	WIDTH	HEIGHT	N.W/G.W	CTN/UNIT	PRICE
001-AY-X002	86 CM	30 CM	77 CM	5.6 KGS	1	RM 472.00

STOCKY™


ORDER PICKER TROLLEY

MODEL	LT-STEP3-4
LOAD CAPACITY	TOP 50KG BOTTOM 100KG
TABLE SIZE	TOP 500MMW X 550MMD BOTTOM 500MMW X 950MMD
CASTER	MYSTAR PRESSED RUBBER 4" 2 SWIVEL & 2 RIGID
DIMENSION	520MMW 1050MMD 1045MMH





FULL INSTALLED BEFORE DELIVERY



ANTI SLIP



SPRING LOAD BRAKE

STOCKY™

FOLDABLE STAIRCASE ORDER PICKER TROLLEY



MODEL	F02-PCL-TLY
LOAD CAPACITY	TOP 100KG BOTTOM 150KG
CLEAR HEIGHT	360MMH
STEP HEIGHT	600MMH
CASTER	MYSTAR PRESSED RUBBER 4" 2 SWIVEL & 2 RIGID
DIMENSION	500MMW 13800MMD 1075MMH

FULL INSTALLED BEFORE DELIVERY



ANTI SLIP STEP



HANDLE & VISIBILITY



FOLDABLE STAIRCASE

STOCKY™ MOBILE STEP LADDER TROLLEY



PEDAL FOOT BRAKE



AUTO SPRING GATE



ANTI SLIP CHEQUERED PLATFORM



HANDRAIL







FULL WELDED & PACKED BEFORE DELIVERY

MODEL	ML-STEP2	ML-STEP3	ML-STEP4	ML-STEP5	ML-STEP6	ML-STEP7	ML-STEP8	ML-STEP9	ML-STEP10
NO STEP	2	3	4	5	6	7	8	9	10
LOAD CAPACITY	350KG								
WORKING PLATFORM , mm	650 350	500 350	600 400	600 450	600 500	650 500	800 600	850 600	930 700
TOP PLATFORM mmH	900	900	1200	1500	1800	2100	2400	2700	3050
DIMENSION mm D x L x H	600 800 1260	500 900 1400	650 1100 1800	700 1460 2130	750 1600 2400	750 1800 3000	950 2000 3300	950 2300 3600	1050 2500 3950

STOCKY™


ALUMINIUM ROLLING LADDER TROLLEY

MODEL	S02-ARPL-05A	S02-ARPL-06A	S02-ARPL-08A
NO STEPS	5	6	8
LOAD CAPACITY	170KG		
UNIT HEIGHT, H1	2330MM	2880MM	3150MM
PLATFORM HEIGHT, H2	1380MM	1930MM	2200MM
DIMENSION (W x S x H)	710MM 1290MM 2330MM	790MM 1570MM 2880MM	830MM 1710MM 3150MM

Approved American National Standard ANSI



6 STEP



SELF ASSEMBLY REQUIRED



5 STEP



8 STEP

MHE
ITEM

STOCKY™

HEIGHT ACCESS

MAINTENANCE PLATFORM

- Increased Safety
- Improved Performance
- Portable
- Ergonomic Advantage
- Storage Space Optmization







S02-NK30A-CASTOR

FORKLIFT MAINTENANCE PLATFORM
ADDITIONAL ASSEMBLY
6" CASTOR AVAILABLE

CODE	LOAD CAPACITY	OVERALL DIMENSION (W x L x H)	FORK POCKET (W x H)	GAP BETWEEN FORK POCKETS
S02-NK30A-1	300KG	950 x 950 x 2000 mm	150 x 90 mm	445 mm

VERSION DATE: 8/7/25

PRESTAR MARKETING SDN BHD has Solid partnerships with a variety of industries, including construction, industrial supplies, DIY concept stores, logistics, and warehousing.
We are one of the largest distributors for: Storage, Racking and Logistics products | Warehouse equipments, parts and service and repairs | Material handling equipments | Hardware

PRESTAR MARKETING SDN BHD
Lot 3811, Jalan 4D, Kampung Baru Subang, 40150 Shah Alam, Selangor, Malaysia.
Hotline: +6012-328 3811 | Email: inquiry@prestar.marketing

Orex Fiberglass Step Ladder With Tray - Single Sided

General household & project application suitable for aircon, renovation and construction industry etc

Do not assume that a longer ladder has a high duty rating. There is no relationship between length and duty rating

CAUTION

The CE requires that a duty rating sticker be placed on the side of every ladder so users can determine if they have the correct type ladder for each task/job.

DANGER


Select a ladder designed to hold the necessary load, including worker and equipment.

Avoid leaving your ladder exposed to adverse weather conditions to increase its durability.

FOR ELECTRICAL PROJECTS



Top



PRESTAR MARKETING SDN BHD

STOCK CODE	STEPS	FOLD HEIGHT	OPEN HEIGHT	N.W/G.W	CTN/UNIT	PRICE
001-AY-F006L	1*6	151 CM	171 CM	8.2 KGS	1	RM 753.00
001-AY-F008L	1*8	241 CM	230 CM	11.1 KGS	1	RM 988.00
001-AY-F010L	1*10	302 CM	287 CM	13.9 KGS	1	RM 1,228.00

Orex Fiberglass Double Side Step Ladder

General household & project application suitable for aircon, renovation and construction industry etc





Do not assume that a longer ladder has a high duty rating. There is no relationship between length and duty rating

CAUTION

The CE requires that a duty rating sticker be placed on the side of every ladder so users can determine if they have the correct type ladder for each task/job.


DANGER

Select a ladder designed to hold the necessary load, including worker and equipment.

Avoid leaving your ladder exposed to adverse weather conditions to increase its durability.

FOR ELECTRICAL PROJECTS





PRESTAR MARKETING SDN BHD

STOCK CODE	STEPS	FOLD HEIGHT	N.W/G.W	CTN/UNIT	PRICE
001-AY-FL006B	6	181 CM	8.2 KGS	1	RM 845.00
001-AY-FL008B	8	241 CM	11.1 KGS	1	RM 1,228.00
001-AY-FL010B	10	302 CM	13.9 KGS	1	RM 1,403.00

SKYWAY® LADDER

SATISFACTION HEAVY DUTY PREMIUM CHOICE GUARANTEED

INDUSTRIAL PATENTED DESIGNS

Skyway Ladder Double Sided

MALAYSIA INDUSTRIAL DESIGN MY 24-E1087-0102

Do not assume that a longer ladder has a high duty rating. There is no relationship between length and duty rating


CAUTION

The CE requires that a duty rating sticker be placed on the side of every ladder so users can determine if they have the correct type ladder for each task/job.



General household & project application suitable for aircon, renovation and construction industry etc

Working Load: 130 KG



STOCK CODE	STEPS	FOLDED HEIGHT	OPENED HEIGHT	PRICE
S18-HSD-05	5	4.2 FT / 1280 MM	3.88 FT / 1181 MM	RM 480.00
S18-HSD-06	6	5.05 FT / 1539 MM	4.68 FT / 1427 MM	RM 605.00
S18-HSD-07	7	5.83 FT / 1783 MM	5.53 FT / 1687 MM	RM 685.00
S18-HSD-08	8	6.72 FT / 2047 MM	6.45 FT / 1966 MM	RM 799.00
S18-HSD-09	9	7.58 FT / 2311 MM	7.23 FT / 2202 MM	RM 924.00
S18-HSD-10	10	8.43FT / 2570 MM	8.1 FT / 2469 MM	RM 1050.00
S18-HSD-12	12	10.13 FT / 3089 MM	9.75 FT / 2972 MM	RM 1369.00

WINSTON LADDER

SATISFACTION HEAVY DUTY PREMIUM CHOICE GUARANTEED

INDUSTRIAL PATENTED DESIGNS

Winston Double Sided Ladder

MALAYSIA INDUSTRIAL DESIGN MY 24-E1088-0202

General household & project application suitable for aircon, renovation and construction industry etc


Do not assume that a longer ladder has a high duty rating. There is no relationship between length and duty rating

CAUTION

The CE requires that a duty rating sticker be placed on the side of every ladder so users can determine if they have the correct type ladder for each task/job.



Working Load: 130 KG



STOCK CODE	STEPS	FOLDED HEIGHT	OPENED HEIGHT	WEIGHT	PRICE
W05-HWD-05	5	4.14 FT / 1262 MM	3.93 FT / 1196 MM	4.6 KG	RM 658.00
W05-HWD-06	6	5.02 FT / 1529 MM	4.75 FT / 1448 MM	5.8 KG	RM 830.00
W05-HWD-07	7	5.85 FT / 1783 MM	5.61 FT / 1709 MM	6.5 KG	RM 939.00
W05-HWD-08	8	6.70 FT / 2042 MM	6.44 FT / 1963 MM	7.4 KG	RM 1096.00
W05-HWD-09	9	7.55 FT / 2301 MM	7.26 FT / 2212 MM	8.1 KG	RM 1268.00
W05-HWD-10	10	8.45 FT / 2576 MM	8.03 FT / 2446 MM	9.3 KG	RM 1440.00
W05-HWD-12	12	10.13 FT / 3086 MM	9.72 FT / 2962 MM	11.3 KG	RM 1878.00

Orex Fiberglass Ladder
Multipurpose Electricians Ladder

General household & project application suitable for aircon, renovation and construction industry etc

Do not assume that a longer ladder has a high duty rating. There is no relationship between length and duty rating

CAUTION

The CE requires that a duty rating sticker be placed on the side of every ladder so users can determine if they have the correct type ladder for each task/job.

DANGER

Select a ladder designed to hold the necessary load, including worker and equipment.

Avoid leaving your ladder exposed to adverse weather conditions to increase its durability.

FOR ELECTRICAL PROJECTS



Strong and durable locks to ensure your safety




Side Reinforcement parts



It is great for working on:
- ***Electrical jobs***
- ***Utility***
- ***Light construction***
- ***Residential jobs***

It features D-Shaped rungs that are fully serrated for a slip-resistant surface.



PRESTAR MARKETING SDN BHD

STOCK CODE	OPEN HEIGHT	STEPS	FOLD HEIGHT	N.W/G.W	PRICE
001-AY-FL208	440 CM	8 + 8	290 CM	15.0 KGS	RM 1,352.00
001-AY-FL210	560 CM	10 + 10	350 CM	18.0 KGS	RM 1,632.00
001-AY-FL212	680 CM	12 + 12	410 CM	21.0 KGS	RM 1,967.00
001-AY-FL214	800 CM	14 + 14	470 CM	23.7 KGS	RM 2,277.00

Orex Double Sided Telescopic Ladder

General household & project application suitable for aircon, renovation and construction industry etc

Do not assume that a longer ladder has a high duty rating. There is no relationship between length and duty rating

CAUTION

The CE requires that a duty rating sticker be placed on the side of every ladder so users can determine if they have the correct type ladder for each task/job.










Thickness: 1.2-1.5 mm
Comply with EN131 Safety Material Certificate

PRESTAR MARKETING SDN BHD

STOCK CODE	FOLDING SIZE	STEPS	STEP HEIGHT	CTN/UNIT	PRICE
001-AY-ZJ3032B	47 x 17 x 87 CM	5 +5	30 CM	1	RM 807.00
001-AY-ZJ3038B	47 x 18 x 90 CM	6+6	30 CM	1	RM 934.00
001-AY-ZJ3044B	48 x 18 x 93 CM	7+7	30 CM	1	RM 1,074.00
001-AY-ZJ3050B	49 x 19 x 96 CM	8+8	30 CM	1	RM 1,214.00



MODEL	N.W/G.W	OPEN SIZE (CM)		
		HERRINGBONE HEIGHT	FOLDING HEIGHT	TOTAL HEIGHT
AY-ZJ3032B	13.3 KGS	160 CM	87 CM	320 CM
AY-ZJ3038B	15.8 KGS	190 CM	90 CM	380 CM
AY-ZJ3044B	17.1 KGS	220 CM	93 CM	440 CM
AY-ZJ3050B	19.2 KGS	250 CM	96 CM	500 CM

Orex Aluminium Multi-Purpose Ladder

General household & project application suitable for aircon, renovation and construction industry etc

Do not assume that a longer ladder has a high duty rating. There is no relationship between length and duty rating

CAUTION


The CE requires that a duty rating sticker be placed on the side of every ladder so users can determine if they have the correct type ladder for each task/job.



Material: 1.2-1.5 mm
Comply with EN131 Safety Material Certificate

PRESTAR MARKETING SDN BHD

STOCK CODE	FOLDING SIZE	STEPS	STEP HEIGHT	CTN/UNIT	PRICE
001-AY-503	97 x 36 x 26 CM	4 X 3	28 CM	1	RM 580.00
001-AY-504	125 X 36 X 26 CM	4 X 4	28 CM	1	RM 667.00
001-AY-505	153 X 36 X 26 CM	4 X 5	28 CM	1	RM 753.00



MODEL	N.W/G.W	OPEN SIZE (CM)		
		HERRINGBONE HEIGHT	FOLDING HEIGHT	TOTAL HEIGHT
AY-503	11.7-12.0 KGS	173 CM	95 CM	356 CM
AY-504	13.1-13.4 KGS	226 CM	123 CM	461 CM
AY-505	14.5-14.8 KGS	279 CM	151 CM	151 CM