PRESTAR MARKETING SDN BHD

198101010711 (76838-X)



PALLET & TABLE LIFTER EQUIPMENT

HOMEPAGE

FIND US

KL , PG , JB

STOCKY™

MANUAL HYDRAULIC TABLE LIFTER



SINGLE SCISSOR 150KG ~ 1000KG



DOUBLE SCISSOR 150KG ~ 700KG



QUICK RELEASE PUMP



FOOT PEDAL JACK

MODEL		HLT-150	HLT300	HLT500	HLT750	HLT1000	HLT15EH	HLT35EH	HLT700
		SINGLE SCISSOR MODEL					DOUBLE SCISSOR MODEL		
Load Capacity	kg	150	300	500	750	1000	150	350	700
Table Height	mm	220 - 720	280 -880	285 - 880	420 - 990	380 - 990	310 -1260	355 - 1300	455 -1500
Size Of Table	mm	700 x 450	850 x 500	850 x 500	1000 x 510	1016 x 510	700 x 500	910 x 500	1220 x 610
Size Wheel	mm	100 x 25	125 x 40	125 x 40	147 x 50	125 x 50	100 x 32	125 x 40	125 x 40
Foot Pedal to Max Height	mm	< 28	<27	<27	<45	<82	<47	<53	<97
Net Weight	kg	44	77	81	125	140	58	105	195

STOCKY™

ELECTRICAL TABLE LIFTER



ETF50



ETFD35



SWITCH CONTROL



BATTERY INDICATOR



PU C/W BRAKE

MODEL		ETF50	ETFD35
		SINGLE SCISSOR MODEL	DOUBLE SCISSOR MODEL
Load Capacity	kg	500	350
Table Height	mm	280 -880	370 - 1300
Size Of Table	mm	850 x 500	910 X 500
Size Wheel	mm	125 x 40	150 x 48
Overall Length	mm	1305	1210
Height from Ground to Top of Handle	mm	970	920
Lifting Speed , Laden / Unladen	mm/s	65/94	90/110
Lowering Speed , Laden / Unladen	mm/s	98/74	100/90
Lifting Cycle (Fully Charged)		100	100
Battery Capacity	V/ah	2 x 12/15	4 x 12/10
Vertical Travel	mm	585	930
Lifting Motor Power	Kw	0.8	0.8
Built In Charger (DC24V kw)	Hr	8.5	8.5
Average Lifting Speed	mm/s	10	10
Net Weight	kg	157	142

STOCKY™

ELECTRICAL LARGE TABLE LIFTER





SWITCH CONTROL



LIFT UP TO 2 METRE



PU C/W BRAKE



JKKP/DOSH

MODEL		ES50LD	ES100LD
Load Capacity	kg	500	1000
Table Height	mm	520 - 2000	520 - 2000
Size Of Table	mm	800 x 1200	800 x 1200
Size Wheel	mm	200	200
Height from Ground to Top of Handle	mm	1080	1089
Lifting & Lowering Speed , Laden / Unladen	mm/s	20/25	30/35
Lift Motor	kw	0.8	1.6
Battery Capacity	V/ah	12 / 8	12 / 8
Net Weight	kg	266	286

STOCKY™

MANUAL HYDRAULIC PALLET HIGH LIFTER





LIFT & TRANSFER IN 1 GO



HYDRAULIC SYSTEM




STABILIZER

MODEL		PHL1000W	PHL1000N
Load Capacity	kg	1000	
Min Fork Height	mm	85	
Max Fork Height	mm	800	
Fork Width	mm	680	540
Fork Length	mm	1150	
Load Roller Size	mm	Ø 74 × 50	
Steering Wheel	m/s	Ø 180 × 50	
Net Weight	kg	117	110

STOCKY™

ELECTRICAL PALLET HIGH LIFTER





STURDY SCISSOR ROD



POWERED LIFT

MODEL		EX1000SE	EX1000NR
Load Capacity	kg	1000	
Fork Height	mm	85 - 800	
Lifting Height	mm	715	
Fork Width	mm	680	540
Fork Length	mm	1150	
Overall Length x Height	mm	1700 x 1680	
Load Roller Size	mm	Ø 80 x 70	
Steering Wheel Size	mm	PU , Ø 180 × 50	
Turning Radius	mm	1260	
Power of Lifting Motor	V/Kw	24 / 0.7	
Capacity Of Battery	V/AH	Lithium 24 /20	
Net Weight	kg	170	160

STOCKY™

MANUAL HYDRAULIC SKID LIFTER



OPEN PALLET DESIGN ONLY



QUICK RELEASE PUMP



FOOT PEDAL LIFT



MODEL		PHL1000W	PHL1000N
Load Capacity	kg	1000	
Min Fork Height	mm	85	
Max Fork Height	mm	830	
Fork Width	mm	680	520
Fork Length	mm	1115	
Load Roller Size	mm	Ø 75 x 75	
Steering Wheel	m/s	Ø 150 × 50	
Net Weight	kg	130	132

STOCKY™

ELECTRICAL LIFTING PLATFORM





MOTOR PUMP



REMOTE CONTROL



OIL LEAK PROOF CYLINDER

MODEL		EP1000	EP2000
Load Capacity	kg	1000	2000
Height of Platform	mm	190 - 1010	
Size of Platform	mm	1300 x 800	
Lift Time With Loading	s	35	40
Lift Speed With Loading	mm/s	40	22
Lowering Speed With Loading	mm/s	35	33
Motor	kw	0.75	
Net Weight	kg	220	280